Qty:

20 Um:

06.04.03

06.04.03

06.04.11

Each

: STRUT

: D2565105

: 4/10/2006

: N/A

: D2565 REV E

Date

Thursday, 3/30/2006 10:05:50 AM

User:

Kim Johnston

## **Process Sheet**

**Drawing Name** 

Part Number

Material

**Due Date** 

**Drawing Number** 

Project Number

**Drawing Revision** 

Customer

: CU-DAR001 Dart Helicopters Services

Job Number **Estimate Number**  : 26446

P.O. Number

: 10277

This Issue

**Previous Run** 

: N/A : 3/30/2006

: NC Prsht Rev.

First Issue

: M/A

S.O. No. : N/A

: SMALL /MED FAB

: 25973

Written By Checked & Approved By

Comment

: Est: F02.04/16

Added dwg Rev.C1 NG

**Additional Product** 

Job Number:



Seq. #:

Description:

1.0

2.0

3.0

4.0

M304TR0750W049

304 RD Tube .750 x .049W

Comment: Qty.: 1.7666 f(s)/Unit Total:

35.3325 f(s) 304 RD TUBE .750 X.49W

Punch 304/316/318-2B Seamless Tubing, 3/4" O.D. x 0.049" wall to length as per Dwg D2565 using DT 8313

Batch /7/00.540

(M304TR0750W049)

M100 599

BRAKE NC

NC BRAKE



Comment: NC BRAKE

Punch as per Dwg D2565 usingDT 8313

SMALL & MEDIUM FAB RESOURCE 1





Comment: SMALL & MEDIUM FAB RESOURCE 1

Drill hole open to .316 Ø as per Dwg D2565 (one end only)

Deburr

QC5 INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP POWDER COATING 5.0


POWDER COATING



Comment: POWDER COATING

► Powder Coat White (Ref: 4.3.5.2) as per QSI 005 4.3

DC





20

## **Dart Aerospace Ltd**

	•								
<b>W</b> /O:			WC	RK ORDER CHANG	ES			-	
DATE STEP		PROCEDURE CHANGE			Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
				1					
								-	
Part No	:	PAR #:	Fault Cateç	jory:	NCR: Yes	No DQ	A: 🔯	) Date: <u>(</u>	2/05/0
					QA: N	I/C Close	d:	_ Date: _	<del></del>
NCR:			WORK ORDE	ER NON-CONFORMA	NCE (NCF	R)			
DATE	STEP	Description of NC		Corrective Action Section			cation	Approval	Approval
	JILI	Section A	Initial Chief Eng	Action Description Chief Eng	Sign 8 Date	Sect	on C	Chief Eng	QC Inspector
					,				

NOTE: Date & initial all entries

Thursday, 3/30/2006 10:05:50 AM Date: Üser: Kim Johnston **Process Sheet Drawing Name: STRUT** Customer: CU-DAR001 Dart Helicopters Services Job Number: 26446 Part Number: D2565105 Job Number: Seq. #: Description: **Machine Or Operation:** INSPECT POWDER COAT/CHEMICAL CONVERSION QC3 6.0 Comment: INSPECT POWDER COAT PACKAGING RESOURCE #1 PACKAGING 1 7.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location:\_\_\_ DC 8.0 Comment: DOCUMENT CONTROL Inspection Level 21 U 06,05.02 Job Completion . .

## **Dart Aerospace Ltd**

W/O:		WORK ORDER CHA	NGES					
DATE	STEP	PROCEDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
			٠					
								·
Part No	:	PAR #: Fault Category:	NC	R: Yes	No DQ	A:	Date:	
				QA: I	N/C Close	d:	Date:	


NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B			Approval Chief Eng	Approval QC Inspector		
DATE	STEP	Section A		Initial Action Description Chief Eng Chief Eng		Verification Section C				
	•.									
				$\mathcal{F}$						
		<u> </u>								

NOTE: Date & initial all entries





DESIG	*#	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHEC	KED /	APPROVEO	Docure .	EV. E
DATE	<u>न्म</u>	- गम		OF 1
	5.05		STRUT	1:3
Α		96.05.03	NEW ISSUE	
В		97.03.15	CORRECT D2565-111 DIM. A	
С		98.10.05	UPDATED MATERIAL NOTE (TSR A603)	
D		02.06.05	ADD -3XX PARTS; ADD FINISH	
E		04.05.05	ADD D2565-401-411; RMV ANGLE D	



B ·		
DIA 0.257	7 TO BE PUNCHED — OPENED MANUALLY	//

PUNCH ENDS PER SPEC CONTROL DRAWING D2638 -

PART #		Α	В	DIA C
D2565-1	$\overline{01}$	20.52	19.72	0.316
D2565-1		18.21	17.41	0.316
D2565-1		20.19	19.39	0.3167
D2565-1		13.43	12.63	0.010
D2565-1		12.31	11.51	
D2565-1		13.65	12.85	
02000 1		10.00	12.00	
D2565-2	01	22.79	22.00	0.316
D2565-2	03	20.75	19.95	0.316
D2565-2		21.22	20.42	0.316
D2565-2		16.07	15.27	
D2565-2		15.16		
D2565-2		14.14	13.34	
D2565-3	01	27.03	26.23	0.316
D2565-3	03	25.34	24.54	0.316
D2565-3	05	23.73		
D2565-3		20.86		
D2565-3				
D2565-3		16.30	15.50	_
				·
D2565-4	01	18.29	17.49	0.316
D2565-4	03	15.64	14.84	0.316
D2565-4	05	19.45	18.65	0.316
D2565-4	07	10.79	9.99	
D2565-4	09	9.34	8.54	<del>-</del> .`
D2565-4	11	13.81	13.01	

**GENERAL NOTES** 

1) MATERIAL: AISI 304/316/318 SS 0.750 OD X 0.049 WALL (REF DART SPEC. M304TR0.750W0.049)

ENSURE SEAMLESS TUBE IS USED

RETURN TO **ENGINEERING** UNCONTROLLED COPY

**SHOP COPY** 

2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3 UBJECT TO AMENDMENT 3) TOLERANCES PER DART QSI 018 UNLESS OTHERWISE NOTED WITHOUT NOTICE

4) ALL DIMENSIONS ARE IN INCHES

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.